ADONIS 0019280591001924

Author Index

ÅKERBLOM L. *see* BROLIDEN P. A.
AKERLEY B. *see* NEL A. E.
ALVAREZ A. *see* FONTECHA A.-M.
ALVAREZ A. *see* NAVARRO R.
ANDERSSON M., GOLDSCHMIDT T. J., MICHAELSSON E., LARSSON A. & HOLMDAHL R. T-cell receptor $V\beta$ haplotype and complement component C5 play no significant role for the resistance to collagen-induced arthritis in the SWR mouse, 191
ANDREW P. W. *see* WALKER L.
APT A. S., KRAMNIK I. B. & MOROZ A. M. Regulation of T-cell proliferative responses by cells from solid lung tissue of *M. tuberculosis*-infected mice, 173
ARDAVIN C. *see* FONTECHA A.-M.
ARDAVIN C. *see* NAVARRO R.
AUSSEL C. *see* BREITTMAYER J.-P.
AUSTRUP F., KUCHARZIK T. & KÖLSCH E. Cremophor EL as an adjuvant affecting immunoglobulin class switch in the immune response to the thymus-independent antigen $\alpha(1->3)$ dextran B 1355 S, 508

BARBACANE R. C. *see* CONTI P.
BARCLAY R. *see* WALKER L.
BELL E. B. *see* SARAWAR S. R.
BEN-BASSAT M. *see* FRICKE H.
BERTOTTO A. *see* SPINOZZI F.
BESSLER W. *see* HAUSCHILDT S.
BLANK M. *see* FRICKE H.
BOACKLE R. J. *see* CHANG N.-S.
BOGGS J. M., KOO C. H. & GOETZL E. J. Down-regulation of receptor antigen in leukotriene B_4-induced chemotactic deactivation of human polymorphonuclear leucocytes, 212
BONGRAZIO M. *see* CONTI P.
BORECKÝ L. *see* KONTSEK P.
BOSS J. M., LASTER S. M. & GOODING L. R. Sensitivity to tumour necrosis factor-mediated cytolysis is unrelated to manganous superoxide dismutase messenger RNA levels among transformed mouse fibroblasts, 309
BOTTAZZI B. *see* KANKOVA M.
BOUWMAN E. *see* IJZERMANS J. N. M.
BOWERN N. A. *see* HUNTER N.
BREEL M. *see* LIMPENS J.
BREITTMAYER J.-P., AUSSEL C., FARAHIFAR D., COUSIN J.-L. & FEHLMANN M. A phosphatidic acid-sensitive intracellular pool of calcium is released by anti-CD3 in Jurkat T cells, 134
BRIGGS S., PRICE M. R. & TENDLER S. J. B. Immune recognition of linear epitopes in peptide fragments of epithelial mucins, 505
BROLIDEN K. *see* BROLIDEN P. A.
BROLIDEN P. A., MÄKITALO B., ÅKERBLOM L., ROSEN J., BROLIDEN K., UTTER G., JONDAL M., NORRBY E. & WAHREN B. Identification of amino acids in the V3 region of gp120 critical for virus neutralization by human HIV-1-specific antibodies, 371
BROM C., BROM J. & KÖNIG W. G protein activation and mediator release from human neutrophils and platelets after stimulation with sodium fluoride and receptor-mediated stimuli, 287
BROM J. *see* BROM C.
BROOKS C. G. *see* HOLSCHER M.
BROWN F. *see* FRANCIS M. J.
BRYANT A. *see* FRANZ A.
BRYS L. *see* SCHEERLINCK J.-P. Y.
BUENAFE A. C. & RITTENBERG M. B. Maturation of the antibody response to a protein-coupled form of the organophosphorus toxin soman, 398
BUNDICK R. V. *see* HENDERSON D. J.
BURSSENS G. *see* SCHEERLINCK J.-P. Y.
BURTON G. F., KOSCO M. H., SZAKAL A. K. & TEW J. G. Iccosomes and the secondary antibody response, 271

CALLARD R. E. *see* SMITH S. H.
CAMBIER J. C. *see* HAUSCHILDT S.
CAMPBELL A. K. *see* DAVIES E. V.
CARLSTEN H., HOLMDAHL R. & TARKOWSKI A. Analysis of the genetic encoding of oestradiol suppression of delayed-type hypersensitivity in (NZB × NZW) F_1 mice, 186
CHALLACOMBE S. J. *see* O'HAGAN D. T.
CHAMPION B. R., HUTCHINGS P., RAYNER D. C., PAGE K., TITE J., COOKE A. & RIOTT I. M. *In vitro* regulation of thyroglobulin (Tg) autoantibody production by Tg-specific T-cell lines and hybridomas, 415
CHANG N.-S., BOACKLE R. J. & LEU R. W. Characterization of C1 inhibitor binding to neutrophils, 95
COHEN P. L. *see* DAVIGNON J.-L.
COLLINS A. M., ROBERTON D. M., HOSKING C. S. & FLANNERY G. R. Oral immunization with xenogeneic antibodies stimulates the production of systemic and mucosal anti-idotypic antibodies, 388
CONTI P., DEMPSEY R. A., REALE M., BARBACANE R. C., PANARA M. R., BONGRAZIO M. & MIER J. W. Activation of human natural killer cells by lipopolysaccharide and generation of interleukin-alpha, beta, tumour necrosis factor and interleukin-6. Effect of IL-1 receptor antagonist, 450
COOKE A. *see* CHAMPION B. R.
COSTA J. J. *see* DASTYCH J.
COUSIN J.-L. *see* BREITTMAYER J.-P.
COVAS M. J. *see* PINTO L.
CUNHA F. Q. *see* RIBEIRO R. A.

DAHLGREN U. I. H., WOLD A. E., HANSON L. Å. & MIDTVEDT T. Expression of a dietary protein in *E. coli* renders it strongly antigenic to gut lymphoid tissue, 394
DARJI A. *see* SILEGHEM M.
DASTYCH J., COSTA J. J., THOMPSON H. L. & METCALFE D. D. Mast cell adhesion to fibronectin, 478
DAVIES E. V., HALLETT M. B. & CAMPBELL A. K. Localized superoxide release by neutrophils can be provoked by a cytosolic calcium 'cloud', 228
DAVIES M. C. *see* O'HAGAN D. T.
DAVIGNON J.-L., VALLIN-DAVIGNON M., COHEN P. L. & EISENBERG R. A. Targeting of T–B interaction using heteroconjugate antibody, 1
DAVIS S. S. *see* O'HAGAN D. T.
DE LA FUENTE M., DEL RIO M., FERRANDEZ M. D. & HERNANZ A. Modulation of phagocytic function in murine peritoneal macrophages by bombesin, gastrin-releasing peptide and neuromedin C, 205
DE BAETSELIER P. *see* SCHEERLINCK J.-P. Y.
DE BAETSELIER P. *see* SILEGHEM M.
DE BRUIN R. W. F. *see* IJZERMANS J. N. M.
DEL RIO M. *see* DE LA FUENTE M.
DEMPSEY R. A. *see* CONTI P.
DIAMANT M. *see* KAPPEL M.
DIMMOCK N. J. *see* MCLAIN L.
DIXON G. *see* WALKER L.
DUCHAINE J. *see* MOSSER D. D.

EISENBERG R. A. *see* DAVIGNON J.-L.
ERMAK T. H. *see* PAPPO J.
EVANS G. F. *see* ZUCKERMAN S. H.

ADONIS 0019280591001924

Author Index

ÅKERBLOM L. *see* BROLIDEN P. A.
AKERLEY B. *see* NEL A. E.
ALVAREZ A. *see* FONTECHA A.-M.
ALVAREZ A. *see* NAVARRO R.
ANDERSSON M., GOLDSCHMIDT T. J., MICHAELSSON E., LARSSON A. & HOLMDAHL R. T-cell receptor $V\beta$ haplotype and complement component C5 play no significant role for the resistance to collagen-induced arthritis in the SWR mouse, 191
ANDREW P. W. *see* WALKER L.
APT A. S., KRAMNIK I. B. & MOROZ A. M. Regulation of T-cell proliferative responses by cells from solid lung tissue of *M. tuberculosis*-infected mice, 173
ARDAVIN C. *see* FONTECHA A.-M.
ARDAVIN C. *see* NAVARRO R.
AUSSEL C. *see* BREITTMAYER J.-P.
AUSTRUP F., KUCHARZIK T. & KÖLSCH E. Cremophor EL as an adjuvant affecting immunoglobulin class switch in the immune response to the thymus-independent antigen $\alpha(1->3)$ dextran B 1355 S, 508

BARBACANE R. C. *see* CONTI P.
BARCLAY R. *see* WALKER L.
BELL E. B. *see* SARAWAR S. R.
BEN-BASSAT M. *see* FRICKE H.
BERTOTTO A. *see* SPINOZZI F.
BESSLER W. *see* HAUSCHILDT S.
BLANK M. *see* FRICKE H.
BOACKLE R. J. *see* CHANG N.-S.
BOGGS J. M., KOO C. H. & GOETZL E. J. Down-regulation of receptor antigen in leukotriene B_4-induced chemotactic deactivation of human polymorphonuclear leucocytes, 212
BONGRAZIO M. *see* CONTI P.
BORECKÝ L. *see* KONTSEK P.
BOSS J. M., LASTER S. M. & GOODING L. R. Sensitivity to tumour necrosis factor-mediated cytolysis is unrelated to manganous superoxide dismutase messenger RNA levels among transformed mouse fibroblasts, 309
BOTTAZZI B. *see* KANKOVA M.
BOUWMAN E. *see* IJZERMANS J. N. M.
BOWERN N. A. *see* HUNTER N.
BREEL M. *see* LIMPENS J.
BREITTMAYER J.-P., AUSSEL C., FARAHIFAR D., COUSIN J.-L. & FEHLMANN M. A phosphatidic acid-sensitive intracellular pool of calcium is released by anti-CD3 in Jurkat T cells, 134
BRIGGS S., PRICE M. R. & TENDLER S. J. B. Immune recognition of linear epitopes in peptide fragments of epithelial mucins, 505
BROLIDEN K. *see* BROLIDEN P. A.
BROLIDEN P. A., MÄKITALO B., ÅKERBLOM L., ROSEN J., BROLIDEN K., UTTER G., JONDAL M., NORRBY E. & WAHREN B. Identification of amino acids in the V3 region of gp120 critical for virus neutralization by human HIV-1-specific antibodies, 371
BROM C., BROM J. & KÖNIG W. G protein activation and mediator release from human neutrophils and platelets after stimulation with sodium fluoride and receptor-mediated stimuli, 287
BROM J. *see* BROM C.
BROOKS C. G. *see* HOLSCHER M.
BROWN F. *see* FRANCIS M. J.
BRYANT A. *see* FRANZ A.
BRYS L. *see* SCHEERLINCK J.-P. Y.
BUENAFE A. C. & RITTENBERG M. B. Maturation of the antibody response to a protein-coupled form of the organophosphorus toxin soman, 398
BUNDICK R. V. *see* HENDERSON D. J.
BURSSENS G. *see* SCHEERLINCK J.-P. Y.
BURTON G. F., KOSCO M. H., SZAKAL A. K. & TEW J. G. Iccosomes and the secondary antibody response, 271

CALLARD R. E. *see* SMITH S. H.
CAMBIER J. C. *see* HAUSCHILDT S.
CAMPBELL A. K. *see* DAVIES E. V.
CARLSTEN H., HOLMDAHL R. & TARKOWSKI A. Analysis of the genetic encoding of oestradiol suppression of delayed-type hypersensitivity in (NZB × NZW) F_1 mice, 186
CHALLACOMBE S. J. *see* O'HAGAN D. T.
CHAMPION B. R., HUTCHINGS P., RAYNER D. C., PAGE K., TITE J., COOKE A. & RIOTT I. M. *In vitro* regulation of thyroglobulin (Tg) autoantibody production by Tg-specific T-cell lines and hybridomas, 415
CHANG N.-S., BOACKLE R. J. & LEU R. W. Characterization of C1 inhibitor binding to neutrophils, 95
COHEN P. L. *see* DAVIGNON J.-L.
COLLINS A. M., ROBERTON D. M., HOSKING C. S. & FLANNERY G. R. Oral immunization with xenogeneic antibodies stimulates the production of systemic and mucosal anti-idotypic antibodies, 388
CONTI P., DEMPSEY R. A., REALE M., BARBACANE R. C., PANARA M. R., BONGRAZIO M. & MIER J. W. Activation of human natural killer cells by lipopolysaccharide and generation of interleukin-alpha, beta, tumour necrosis factor and interleukin-6. Effect of IL-1 receptor antagonist, 450
COOKE A. *see* CHAMPION B. R.
COSTA J. J. *see* DASTYCH J.
COUSIN J.-L. *see* BREITTMAYER J.-P.
COVAS M. J. *see* PINTO L.
CUNHA F. Q. *see* RIBEIRO R. A.

DAHLGREN U. I. H., WOLD A. E., HANSON L. Å. & MIDTVEDT T. Expression of a dietary protein in *E. coli* renders it strongly antigenic to gut lymphoid tissue, 394
DARJI A. *see* SILEGHEM M.
DASTYCH J., COSTA J. J., THOMPSON H. L. & METCALFE D. D. Mast cell adhesion to fibronectin, 478
DAVIES E. V., HALLETT M. B. & CAMPBELL A. K. Localized superoxide release by neutrophils can be provoked by a cytosolic calcium 'cloud', 228
DAVIES M. C. *see* O'HAGAN D. T.
DAVIGNON J.-L., VALLIN-DAVIGNON M., COHEN P. L. & EISENBERG R. A. Targeting of T–B interaction using heteroconjugate antibody, 1
DAVIS S. S. *see* O'HAGAN D. T.
DE LA FUENTE M., DEL RIO M., FERRANDEZ M. D. & HERNANZ A. Modulation of phagocytic function in murine peritoneal macrophages by bombesin, gastrin-releasing peptide and neuromedin C, 205
DE BAETSELIER P. *see* SCHEERLINCK J.-P. Y.
DE BAETSELIER P. *see* SILEGHEM M.
DE BRUIN R. W. F. *see* IJZERMANS J. N. M.
DEL RIO M. *see* DE LA FUENTE M.
DEMPSEY R. A. *see* CONTI P.
DIAMANT M. *see* KAPPEL M.
DIMMOCK N. J. *see* MCLAIN L.
DIXON G. *see* WALKER L.
DUCHAINE J. *see* MOSSER D. D.

EISENBERG R. A. *see* DAVIGNON J.-L.
ERMAK T. H. *see* PAPPO J.
EVANS G. F. *see* ZUCKERMAN S. H.

EZAKI T., MATSUNO K. & KOTANI M. Thymic nurse cells (TNC) in spontaneous thymoma BFU/Mna rats as a model to study their roles in T-cell development, 151

FACCIOLI L. H., NOURSHARGH S., MOQBEL R., WILLIAMS F. M., SEHMI R., KAY A. B. & WILLIAMS T. J. The accumulation of ^{111}In-eosinophils induced by inflammatory mediators, *in vivo*, 222
FARAHIFAR D. *see* BREITTMAYER J.-P.
FARRANT J. *see* FRANZ A.
FEHLMANN M. *see* BREITTMAYER J.-P.
FERRANDEZ M. D. *see* DE LA FUENTE M.
FERRANTE A. *see* POULOS A.
FERREIRA S. H. *see* RIBEIRO R. A.
FLANNERY G. R. *see* COLLINS A. M.
FLORES C. A. *see* RIBEIRO R. A.
FONTECHA A. M. *see* NAVARRO R.
FONTECHA A.-M., ALVAREZ A., NAVARRO R., ZAPATA A. & ARDAVIN C. Rat thymic cultures: morphological and phenotypical characterization, 165
FRANCIS M. J., HASTINGS G. Z., BROWN F., MCDERMED J., LU Y.-A. & TAM J. P. Immunological evaluation of the multiple antigen peptide (MAP) system using the major immunogenic site of foot-and-mouth disease virus, 249
FRÄNKEN J. *see* NEUBER K.
FRANKLIN K. *see* NEL A. E.
FRANZ A., BRYANT A. & FARRANT J. Interleukin-2-induced DNA synthesis and immunoglobulin secretion by resting human tonsillar B cells: effects of protein kinase C activation, 322
FRICKE H., MENDLOVIC S., BLANK M., SHOENFELD Y., BEN-BASSAT M. & MOZES E. Idiotypic specific T-cell lines inducing experimental systemic lupus erythematosus in mice, 421
FUCHIMOTO S. *see* MATUSUBARA N.

GAY S. *see* SIMON M. M.
GERLI R. *see* SPINOZZI F.
GERMERAAD W. T. V. *see* LIMPENS J.
GHADERI A. A. & STANWORTH D. R. Affinity-purified soluble FcεRII/CD23 derived from a culture supernatant of an EBV-immortalized B-cell line induced a monophasic fever in rabbits, 510
GIENI R. S. *see* HAYGLASS K. T.
GIVAN A. L. *see* HOLSCHER M.
GIVAN A. L. *see* IKUTA S.
GOETZL E. J. *see* BOGGS J. M.
GOLDSCHMIDT T. J. *see* ANDERSSON M.
GOODING L. R. *see* BOSS J. M.
GRIGNANI F. *see* SPINOZZI F.
GUTHRIE L. *see* ZUCKERMAN S. H.

HADIJA J. *see* HORVAT B.
HALLETT M. B. *see* DAVIES E. V.
HANAFUSA T. *see* OTSUKA A.
HANSEN M. B. *see* KAPPEL M.
HANSON L. Å. *see* DAHLGREN U. I. H.
HARDY S. J. *see* POULOS A.
HARVEY D. P. *see* POULOS A.
HASHIM O. H. & HASSAN H. Actions of three clostridial IgA proteases on distinct forms of immunoglobulin A molecules, 235
HASSAN H. *see* HASHIM O. H.
HASTINGS G. Z. *see* FRANCIS M. J.
HAUSCHILDT S., LÜCKHOFF A., LANGHORNE J., WIESMÜLLER K.-H., JUNG G., BESSLER W. & CAMBIER J. C. Increase in the intracellular free calcium concentration is not an obligatory early event in lipopeptide-induced B-cell activation, 366
HAUSER P. *see* SCHEERLINCK J.-P. Y.
HAYGLASS K. T. & STEFURA W. Antigen-specific modulation of murine IgE and IgG2a responses with glutaraldehyde-polymerized allergen is independent of MHC haplotype and Igh allotype, 24
HAYGLASS K. T., GIENI R. S. & STEFURA W. P. Long-lived reciprocal regulation of antigen-specific IgE and IgG2a responses in mice treated with glutaraldehyde-polymerized ovalbumin, 407
HAZENBERG M. A. J. *see* VAN DEN BERG C. W.
HENDERSON D. J., NAYA I., BUNDICK R. V., SMITH G. M. & SCHMIDT J. A. Comparison of the effects of FK-506, cyclosporin A and rapamycin on IL-2 production, 316
HERNANZ A. *see* DE LA FUENTE M.
HILGER R. A. *see* NEUBER K.
HO P. *see* NEL A. E.
HOEBEN-SCHORNAGEL K. *see* LIMPENS J.
HOFHUIS F. M. A. *see* VAN DEN BERG C. W.
HOLMDAHL R. *see* ANDERSSON M.
HOLMDAHL R. *see* CARLSTEN H.
HOLSCHER M., GIVAN A. L. & BROOKS C. G. The effect of transfected MHC class I genes on sensitivity to natural killer cells, 44
HONG K. *see* TANAKA E.
HORVAT B., POLJAK-BLAŽI M. & HADIJA J. Inhibition of IL-1 activity induced with allogeneic transformation of UV-irradiated blood, 120
HOSKING C. S. *see* COLLINS A. M.
HUANG S. K. & MARSH D. G. Human T-cell responses to ragweed allergens: *Amb* V homologues, 363
HUMPHREYS A. S. *see* WANG M.-W.
HUNTER N., WESTON K. M. & BOWERN N. A. Suppression of experimental allergic encephalomyelitis by α_2-macroglobulin, 58
HUTCHINGS P. *see* CHAMPION B. R.

IJZERMANS J. N. M., BOUWMAN E., DE BRUIN R. W. F., JEEKEL J. & MARQUET R. L. Treatment with rIFN-γ has no effect on cardiac allograft rejection, 243
IKUTA S., KIRBY J. A., SHENTON B. K., GIVAN A. L. & LENNARD T. W. M. Human endothelial cells: effect of TNF-α on peripheral blood mononuclear cell adhesion, 71
INOUE K. *see* TANAKA E.
ISHIOKA C. *see* KIMATA H.
ISOBE K.-I. & NAKASHIMA I. Homotypic aggregation of murine T lymphocytes induced by anti-Thy-1 monoclonal antibodies, 159

JACHEZ B. *see* KUNTZ L.
JEEKEL J. *see* IJZERMANS J. N. M.
JEFFERY H. *see* O'HAGAN D. T.
JONDAL M. *see* BROLIDEN P. A.
JONES R. A., RICHARDS S. J., PATEL D. & SCOTT C. S. Suppression of natural killer cell activity by rabbit antibody to human beta$_2$-microglobulin (β_2m) is an Fc-mediated phenomenon and is not β_2m specific, 342
JUNG G. *see* HAUSCHILDT S.

KANKOVA M., LUINI W., PEDRAZZONI M., RIGANTI F., SIRONI M., BOTTAZZI B., MANTOVANI A. & VECCHI A. Impairment of cytokine production in mice fed a vitamin D3-deficient diet, 466
KAPPEL M., DIAMANT M., HANSEN M. B., KLOKKER M. & PEDERSEN B. K. Effects of *in vitro* hyperthermia on the proliferative response of blood mononuclear cell subsets, and detection of interleukins 1 and 6, tumour necrosis factor-alpha and interferon-gamma, 304
KATZ R. *see* NEL A. E.
KAY A. B. *see* FACCIOLI L. H.
KEHOE M. A. *see* QASIM W.
KENNEDY M. W., WASSOM D. L., MCINTOSH A. E. & THOMAS J. C. H-2 (I-A) control of the antibody repertoire to secreted antigens of *Trichinella spiralis* in infection and its relevance to resistance and susceptibility, 36
KERR M. A. *see* STEWART W. W.
KIERSZENBAUM F. *see* SZTEIN M. B.
KIMATA H., YOSHIDA A., ISHIOKA C. & MIKAWA H. Disodium cromoglycate enhances ongoing immunoglobulin production *in vitro* in human B cells, 31
KIMOTO T. *see* SADAHIRA Y.
KINOSHITA T. *see* TANAKA E.
KIRBY J. A. *see* IKUTA S.
KLOKKER M. *see* KAPPEL M.
KOLB H. *see* MARTIN S.
KÖLSCH E. *see* AUSTRUP F.
KÖNIG W. *see* BROM C.
KÖNIG W. *see* NEUBER K.
KÖNIG W. *see* NEUBER K.
KÖNIG W. *see* RAULF M.
KONO N. *see* OTSUKA A.
KONTSEK P., BORECKÝ L., NOVÁK M., KONTSEKOVÁ E. & MÁČIKOVÁ I. Enhancement of neutralizing efficacy by combining three monoclonal antibodies to human interferon-alpha, 8

KONTSEKOVÁ E. *see* KONTSEK P.
KOO C. H. *see* BOGGS J. M.
KOSCO M. H. *see* BURTON G. F.
KOTANI M. *see* EZAKI T.
KOVACS W. J. *see* OLSEN N. J.
KOZONO H. *see* TANAKA E.
KRAAL G. *see* LIMPENS J.
KRAMER M. D. *see* SIMON M. M.
KRAMNIK I. B. *see* APT A. S.
KUCHARZIK T. *see* AUSTRUP F.
KUNTZ L., MONTECINO-RODRIGUEZ E., JACHEZ B., ROMAN D. & LOOR F. Adoptive transfer of viable motheaten pathology in sublethally irradiated beige recipient mice, 356

LANDAY A. L. *see* SPEAR G. T.
LANGHORNE J. *see* HAUSCHILDT S.
LARSSON A. *see* ANDERSSON M.
LASTER S. M. *see* BOSS J. M.
LECHLER R. I. *see* MASON P. D.
LEDBETTER J. A. *see* NEL A. E.
LENNARD T. W. M. *see* IKUTA S.
LEU R. W. *see* CHANG N.-S.
LIMPENS J., VAN MEIJER M., VAN SANTEN H. M., GERMERAAD W. T. V., HOEBEN-SCHORNAGEL K., BREEL M., SCHEPER R. J. & KRAAL G. Alterations in dendritic cell phenotype and function associated with immunoenhancing effects of a subcutaneously administered cyclophosphamide derivative, 255
LINT T. F. *see* SPEAR G. T.
LIU L. M. & MACPHERSON G. F. Lymph-bourne (veiled) dendritic cells can acquire and present intestinally administered antigens, 281
LOMBARDI G. *see* MASON P. D.
LOOR F. *see* KUNTZ L.
LORINI M. *see* TEDESCHI A.
LOWRIE D. B. *see* WALKER L.
LU Y.-A. *see* FRANCIS M. J.
LÜCKHOFF A. *see* HAUSCHILDT S.
LUINI W. *see* KANKOVA M.

MÁČIKOVÁ I. *see* KONTSEK P.
MACPHERSON G. F. *see* LIU L. M.
MÄKITALO B. *see* BROLIDEN P. A.
MANTOVANI A. *see* KANKOVA M.
MARQUET R. L. *see* IJZERMANS J. N. M.
MARSH D. G. *see* HUANG S. K.
MARTIN L. H. *see* MOSSER D. D.
MARTIN S., ROTHE H., TSCHÖPE D., SCHWIPPERT B. & KOLB H. Decreased expression of adhesion molecules on monocytes in recent onset IDDM, 123
MASON P. D., LOMBARDI G. & LECHLER R. I. NK cells inhibit T-cell responses: $LFA3^+$ but not $LFA3^-$ T-cell responses are suppressed, 444
MATSUNO K. *see* EZAKI T.
MATUSUBARA N., FUCHIMOTO S. & ORITA K. Tumour necrosis factor-alpha induces translocation of protein kinase C in tumour necrosis factor-sensitive cell lines, 457
MCDERMED J. *see* FRANCIS M. J.
MCGEE J. P. *see* O'HAGAN D. T.
MCINTOSH A. E. *see* KENNEDY M. W.
MCLAIN L. & DIMMOCK N. J. An influenza haemagglutinin-specific IgG enhances class I MHC-restricted CTL killing *in vitro*, 12
MENDLOVIC S. *see* FRICKE H.
METCALFE D. D. *see* DASTYCH J.
MIADONNA A. *see* TEDESCHI A.
MICHAELSSON E. *see* ANDERSSON M.
MICHEL A. *see* SCHEERLINCK J.-P. Y.
MIDTVEDT T. *see* DAHLGREN U. I. H.
MIER J. W. *see* CONTI P.
MIKAWA H. *see* KIMATA H.
MILTENBURG L. A. M. *see* VAN STRIJP J. A. G.
MONTECINO-RODRIGUEZ E. *see* KUNTZ L.
MONTGOMERY P. C. *see* POCKLEY A. G.
MOQBEL R. *see* FACCIOLI L. H.
MOROZ A. M. *see* APT A. S.
MOSSER D. D., DUCHAINE J. & MARTIN L. H. Biochemical and developmental characterization of the murine cluster of differentiation 1 antigen, 298
MOUNTFORD A. P. *see* PEMBERTON R. M.
MOZES E. *see* FRICKE H.
MURRAY A. W. *see* POULOS A.

NAKASHIMA I. *see* ISOBE K.-I.
NAVARRO R., ARDAVIN C., FONTECHA A. M., ALVAREZ A. & ZAPATA A. *In vitro* characterization of rat thymic macrophages, 114
NAVARRO R. *see* FONTECHA A.-M.
NAYA I. *see* HENDERSON D. J.
NEL A. E., LEDBETTER J. A., WILLIAMS K., HO P., AKERLEY B., FRANKLIN K. & KATZ R. Activation of MAP-2 kinase activity by the CD2 receptor in Jurkat T cells can be reversed by CD45 phosphatase, 129
NEUBER K., HILGER R. A. & KÖNIG W. Interleukin-3, interleukin-8, FMLP and C5a enhance the release of leukotrienes from neutrophils of patients with atopic dermatitis, 83
NEUBER K., STEPHAN U., FRÄNKEN J. & KÖNIG W. *Staphylococcus aureus* modifies the cytokine-induced immunoglobulin synthesis and CD23 expression in patients with atopic dermatitis, 197
NORRBY E. *see* BROLIDEN P. A.
NOURSHARGH S. *see* FACCIOLI L. H.
NOVÁK M. *see* KONTSEK P.

O'HAGAN D. T., RAHMAN D., MCGEE J. P., JEFFERY H., DAVIES M. C., WILLIAMS P., DAVIS S. S. & CHALLACOMBE S. J. Biodegradable microparticles as controlled release antigen delivery systems, 239
OLSEN N. J., WATSON M. B. & KOVACS W. J. Studies of immunological function in mice with defective androgen action. Distinction between alterations in immune function due to hormonal insensitivity and alterations due to other genetic factors, 52
ORITA K. *see* MATUSUBARA N.
OTSUKA A., HANAFUSA T., KONO N. & TARUI S. Lipopolysaccharide augments HLA-A,B,C molecule expression but inhibits interferon-gamma-induced HLA-DR molecule expression on cultured human endothelial cells, 428

PAGE K. *see* CHAMPION B. R.
PANARA M. R. *see* CONTI P.
PAPPO J., ERMAK T. H. & STEGER H. J. Monoclonal antibody-directed targeting of fluorescent polystyrene microspheres to Peyer's patch M cells, 277
PATEL D. *see* JONES R. A.
PEDERSEN B. K. *see* KAPPEL M.
PEDRAZZONI M. *see* KANKOVA M.
PEMBERTON R. M., SMYTHIES L. E., MOUNTFORD A. P. & WILSON R. A. Patterns of cytokine production and proliferation by T lymphocytes differ in mice vaccinated or infected with *Schistosoma mansoni*, 327
PINTO L., COVAS M. J. & VICTORINO R. M. M. Loss of CD45RA and gain of CD45RO after *in vitro* activation of lymphocytes from HIV-infected patients, 147
POCKLEY A. G. & MONTGOMERY P. C. *In vivo* adjuvant effect of interleukins 5 and 6 on rat tear IgA antibody responses, 19
POLJAK-BLAŽI M. *see* HORVAT B.
POULOS A., ROBINSON B. S., FERRANTE A., HARVEY D. P., HARDY S. J. & MURRAY A. W. Effect of 22–32 carbon n-3 polyunsaturated fatty acids on superoxide production in human neutrophils: synergism of docosahexaenoic acid with f-met-leu-phe and phorbol ester, 102
PRESTER M. *see* SIMON M. M.
PRICE M. R. *see* BRIGGS S.

QASIM W., KEHOE M. A. & ROBINSON J. H. Does staphylococcal enterotoxin B bind directly to murine T cells?, 433

RAHMAN D. *see* O'HAGAN D. T.
RAULF M. & KÖNIG W. Modulation of leukotriene generation from human polymorphonuclear granulocytes by polychlorinated biphenyls (PCB), 485
RAYFIELD L. S., SUNDARAM K. K. & SMITH T. A. Erythrocyte-reactive T-cell lines and clones from normal mice recognize serum-derived antigens, 438

RAYNER D. C. *see* CHAMPION B. R.
REALE M. *see* CONTI P.
RIBEIRO R. A., FLORES C. A., CUNHA F. Q. & FERREIRA S. H. IL-8 causes *in vivo* neutrophil migration by a cell-dependent mechanism, 472
RICHARDS S. J. *see* JONES R. A.
RIGANTI F. *see* KANKOVA M.
RIGLEY K. P. *see* SMITH S. H.
RIOTT I. M. *see* CHAMPION B. R.
RITTENBERG M. B. *see* BUENAFE A. C.
ROBERTON D. M. *see* COLLINS A. M.
ROBINSON B. S. *see* POULOS A.
ROBINSON J. H. *see* QASIM W.
ROMAN D. *see* KUNTZ L.
RONCAROLO M. G. *see* TEDESCHI A.
RONDONI F. *see* SPINOZZI F.
ROSEN J. *see* BROLIDEN P. A.
ROTHE H. *see* MARTIN S.

SADAHIRA Y., YASUDA T. & KIMOTO T. Regulation of Forssman antigen expression during maturation of mouse stromal macrophages in haematopoietic foci, 498
SARAWAR S. R., YANG C.-P. & BELL E. B. T-cell receptor-bearing cells from athymic nude rats respond to alloantigen *in vitro* but are defective *in vivo*, 334
SAUNDERS K. *see* WALKER L.
SCALISE F. *see* SPINOZZI F.
SCHEERLINCK J.-P. Y., BURSSENS G., BRYS L., MICHEL A., HAUSER P. & DE BAETSELIER P. Differential presentation of hepatitis B S-preS(2) particles and peptides by macrophages and B-cell like antigen-presenting cells, 88
SCHEPER R. J. *see* LIMPENS J.
SCHMIDT J. A. *see* HENDERSON D. J.
SCHWIPPERT B. *see* MARTIN S.
SCOTT C. S. *see* JONES R. A.
SEHMI R. *see* FACCIOLI L. H.
SHENTON B. K. *see* IKUTA S.
SHOENFELD Y. *see* FRICKE H.
SILEGHEM M., DARJI A. & DE BAETSELIER P. *In vitro* simulation of immunosuppression caused by *Trypanosoma brucei*, 246
SIMON M. M., KRAMER M. D., PRESTER M. & GAY S. Mouse T-cell associated serine proteinase 1 degrades collagen type IV: a structural basis for the migration of lymphocytes through vascular basement membranes, 117
SIMS M. J. *see* WANG M.-W.
SIRONI M. *see* KANKOVA M.
SMITH G. M. *see* HENDERSON D. J.
SMITH S. H., RIGLEY K. P. & CALLARD R. E. Activation of human B cells through the CD19 surface antigen results in homotypic adhesion by LFA-1-dependent and -independent mechanisms, 293
SMITH T. A. *see* RAYFIELD L. S.
SMYTHIES L. E. *see* PEMBERTON R. M.
SPEAR G. T., SULLIVAN B. L., TAKEFMAN D. M., LANDAY A. L. & LINT T. F. Human immunodeficiency virus (HIV)-infected cells and free virus directly activate the classical complement pathway in rabbit, mouse and guinea-pig sera; activation results in virus neutralization by virolysis, 377
SPINOZZI F., BERTOTTO A., RONDONI F., GERLI R., SCALISE F. & GRIGNANI F. T-lymphocyte activation pathways in alcoholic liver disease, 140
STANWORTH D. R. *see* GHADERI A. A.
STARKEY P. M. Expression on cells of early human pregnancy decidua, of the p75, IL-2 and p145, IL-4 receptors, 64
STEFURA W. P. *see* HAYGLASS K. T.
STEFURA W. *see* HAYGLASS K. T.
STEGER H. J. *see* PAPPO J.
STEPHAN U. *see* NEUBER K.
STEWART W. W. & KERR M. A. The measurement of respiratory burst induced in polymorphonuclear neutrophils by IgA and IgG anti-gliadin antibodies isolated from coeliac serum, 491
SULLIVAN B. L. *see* SPEAR G. T.
SUNDARAM K. K. *see* RAYFIELD L. S.
SYMINGTON P. R. *see* WANG M.-W.
SZAKAL A. K. *see* BURTON G. F.
SZTEIN M. B. & KIERSZENBAUM F. A soluble factor from *Trypanosoma brucei rhodesiense* that prevents progression of activated human T lymphocytes through the cell cycle, 180

TAKATA Y. *see* TANAKA E.
TAKEDA J. *see* TANAKA E.
TAKEFMAN D. M. *see* SPEAR G. T.
TAM J. P. *see* FRANCIS M. J.
TANAKA E., HONG K., KINOSHITA T., TAKATA Y., KOZONO H., TAKEDA J., YODEN A. & INOUE K. Murine monoclonal anti-Ba antibody that enhances haemolytic activity of factor B, 383
TARKOWSKI A. *see* CARLSTEN H.
TARUI S. *see* OTSUKA A.
TAUSSIG M. J. *see* WANG M.-W.
TEDESCHI A., RONCAROLO M. G., LORINI M. & MIADONNA A. Low MW B-cell growth factor potentiates histamine release from human basophil leucocytes, 217
TENDLER S. J. B. *see* BRIGGS S.
TEW J. G. *see* BURTON G. F.
THOMAS J. C. *see* KENNEDY M. W.
THOMPSON H. L. *see* DASTYCH J.
TITE J. *see* CHAMPION B. R.
TOL M. E. VAN DER *see* VAN STRIJP J. A. G.
TSCHÖPE D. *see* MARTIN S.

UTTER G. *see* BROLIDEN P. A.

VALLIN-DAVIGNON M. *see* DAVIGNON J.-L.
VAN DEN BERG C. W., HAZENBERG M. A. J., HOFHUIS F. M. A., VAN ROOYEN S. M. & VAN DIJK H. C3- and T-cell-dependent adjuvant activity of *in vivo* formed immune complexes, 264
VAN DER TOL M. E. *see* VAN STRIJP J. A. G.
VAN DIJK H. *see* VAN DEN BERG C. W.
VAN KESSEL K. P. M. *see* VAN STRIJP J. A. G.
VAN MEIJER M. *see* LIMPENS J.
VAN ROOYEN S. M. *see* VAN DEN BERG C. W.
VAN SANTEN H. M. *see* LIMPENS J.
VAN STRIJP J. A. G., VAN DER TOL M. E., MILTENBURG L. A. M., VAN KESSEL K. P. M. & VERHOEF J. Tumour necrosis factor triggers granulocytes to internalize complement-coated virus particles, 77
VECCHI A. *see* KANKOVA M.
VERHOEF J. *see* VAN STRIJP J. A. G.
VICTORINO R. M. M. *see* PINTO L.

WAHREN B. *see* BROLIDEN P. A.
WALKER L., LOWRIE D. B., BARCLAY R., DIXON G., SAUNDERS K. & ANDREW P. W. Activation of mouse peritoneal macrophages by maintenance in serum-free medium, 109
WANG M.-W., SIMS M. J., SYMINGTON P. R., HUMPHREYS A. S. & TAUSSIG M. J. Induction of anti-progesterone immunity and pregnancy blocking by anti-progesterone anti-idiotypes. Variable efficacy of polyclonal Ab2 antibodies directed against a panel of closely related Ab1 antibodies, 348
WASSOM D. L. *see* KENNEDY M. W.
WATSON M. B. *see* OLSEN N. J.
WESTON K. M. *see* HUNTER N.
WIESMÜLLER K.-H. *see* HAUSCHILDT S.
WILLIAMS F. M. *see* FACCIOLI L. H.
WILLIAMS K. *see* NEL A. E.
WILLIAMS P. *see* O'HAGAN D. T.
WILLIAMS T. J. *see* FACCIOLI L. H.
WILSON R. A. *see* PEMBERTON R. M.
WOLD A. E. *see* DAHLGREN U. I. H.

YANG C.-P. *see* SARAWAR S. R.
YASUDA T. *see* SADAHIRA Y.
YODEN A. *see* TANAKA E.
YOSHIDA A. *see* KIMATA H.

ZAPATA A. *see* FONTECHA A.-M.
ZAPATA A. *see* NAVARRO R.
ZUCKERMAN S. H., EVANS G. F. & GUTHRIE L. Transcriptional and post-transcriptional mechanisms involved in the differential expression of LPS-induced IL-1 and TNF mRNA, 460

ADONIS 001928059100193C

Subject Index

α_2-macroglobulin:
  suppression in experimental allergic encephalomyelitis, 58
Adhesion, homotypic:
  of human B cells induced with anti-CD19, 293
Adhesion molecules:
  in insulin-dependent diabetes, 123
Adjuvant activity:
  of immune complexes, 264
Alcoholic liver disease:
  T-lymphocyte activation, 140
Androgen action, mice with defective:
  immunological function, 52
Antibody response to the toxin soman:
  maturation of, 398
Anti-idiotypes, anti-progesterone:
  induction of immunity and pregnancy blocking, 348

B-cell activation, lipopeptide induced:
  role of intracellular free calcium, 366
B-cell growth factor:
  and histamine release, 217

C1 inhibitor:
  characterization, 95
Calcium:
  phosphatidic acid-sensitive pool, released by anti-CD3, 134
Calcium store:
  release in neutrophils, 228
CD1, mouse:
  biochemical and developmental characterization, 298
CD2 receptor:
  activation of MAP-2 kinase, 129
CD23, purified:
  from Epstein–Barr virus-immortalized B-cell line, 510
CD45RA and CD45RO:
  changes in lymphocytes from HIV-infected patients, 147
Coeliac disease:
  anti-gliadin antibodies in, 491
Cremophor EL:
  adjuvant effect on immunoglobulin class switch, 508
Cytokine production:
  impairment in vitamin D3-deficient animals, 466
  and T-cell proliferation in *S. mansoni*-infected or vaccinated mice, 327

Delayed-type hypersensitivity, in NZB/W F_1 mice:
  genetic control of oestradiol suppression, 186
Dendritic cell phenotype and function:
  effects of cyclophosphamide derivative, 255

Eosinophils, ^{111}In-labelled:
  accumulation induced by inflammatory mediators, 222
Escherichia coli:
  dietary protein in, antigenicity in gut, 394
Experimental allergic encephalomyelitis:
  suppression by α_2-macroglobulin, 58

Factor B:
  enhancement of haemolytic activity by monoclonal anti-Ba antibody, 383
Fibronectin:
  mast cell adhesion, 478

Forssman antigen:
  expression, 498

G protein activation and mediator release:
  from human neutrophils and platelets, 287

Hepatitis B S-preS(2) particles and peptides:
  antigen presentation, 88
Heteroconjugate antibody-induced T–B interaction, 1
Human immunodeficiency virus:
  neutralizing epitope in V3 of gp120, 371
Human immunodeficiency virus-infected cells and virus:
  activation of classical complement pathway, 377
Hyperthermia:
  effects on lymphoid cells *in vitro*, 304

Iccosomes
  and the secondary antibody response, 271
Idiotypic T-cell lines:
  induction of systemic lupus erythematosus in mice, 421
Immune complexes:
  adjuvant activity, 264
Immunoglobulin A:
  action of clostridial proteases on, 235
Immunoglobulin E and IgG2a antibody responses:
  regulation of, 407
Immunoglobulin E and IgG2a responses:
  antigen-specific modulation, 24
Immunoglobulin G, influenza haemagglutinin-specific:
  enhancement of cytotoxic T-lymphocyte killing *in vivo*, 12
Immunoglobulin production:
  enhancement by disodium cromoglycate, 31
Interferon-gamma:
  neutralization by monoclonal antibodies, 8
Interferon-gamma, recombinant:
  no effect on allograft rejection, 243
Interleukin-1 activity:
  inhibition with allogeneic UV-irradiated blood, 120
Interleukin-2 production:
  effect of immunosuppressive drugs, 316
Interleukin-8:
  effect on neutrophil migration, 472
Interleukins 5 and 6:
  adjuvant effect on rat tear IgA, 19

Leukotriene B4:
  chemotactic deactivation, 212
Leukotriene generation:
  modulation by polychlorinated biphenyls, 485
Leukotrienes, release from neutrophils:
  enhanced by interleukins 3 and 8, FMLP and C5a, 83

Macrophages, mouse peritoneal:
  activation by maintenance in serum-free medium, 109
Major histocompatibility complex class I genes, transfected:
  effect on sensitivity to natural killer cells, 44
Major histocompatibility complex control of antibody repertoire to *Trichinella*, 36
Major histocompatibility complex expression:
  effects of lipopolysaccharide on, 428
MAP-2 kinase:
  activation by CD2 receptor, 129

Mast cell adhesion:
to fibronectin, 478
Microparticles, biodegradable:
as antigen delivery systems, 239
Motheaten pathology:
adoptive transfer, in beige mice, 356
Mucins:
immune recognition of linear epitopes, 505
Multiple antigen peptide system:
immunological evaluation, 249

n-3 fatty acids:
effects of neutrophil respiratory burst, 102
Natural killer activity:
suppression by rabbit anti-human β_2m antibody, 342
Natural killer cells:
inhibition of T-cell responses, 444
Natural killer cells, human:
activation by lipopolysaccharide, 450

Oral immunization:
with xenogeneic antibodies, 388

Peyer's patch M cells:
targeting of microspheres to, 277
Phagocyte function:
murine macrophages, modulation by bombesin, gastrin-releasing peptide and neuromedin C, 205
Pregnancy decidua, early:
expression of interleukin-2 and interleukin-4 receptor proteins, 64
Protein kinase C activation:
effects on interleukin-2-induced DNA synthesis and immunoglobulin secretion, 322

Respiratory burst, neutrophil:
effect of n-3 fatty acids, 102

Serine proteinase 1, mouse T-cell-associated:
degradation of type IV collagen, 117
Staphylococcal enterotoxin B:
and T-cell activation, 433
Staphylococcus aureus:
modification of cytokine-induced immunoglobulin synthesis and CD23 expression, 197

T-cell aggregation:
by anti-Thy-1, 159
T cells, human:
suppression by *Trypanosoma brucei rhodesiense*, 180
T-cell lines:
erythrocyte-reactive from normal mice, 438
T-cell lines and hybridomas, thryroglobulin-specific:
regulation of autoantibody thryoglobulin production, 415
T-cell receptor-positive cells:
in nude rats, 334
T-cell receptor Vβ genes and C5:
in collagen arthritis, 191
T-cell responses, human:
to ragweed antigens, 363
T-lymphocyte activation:
in alcoholic liver disease, 140
Thymic cultures, rat:
characterization, 165
Thymic macrophages, rat:
in vitro characterization, 114
Thymic nurse cells:
in thymoma, 151
Trypanosoma brucei:
simulation of immunosuppression, 246
Tuberculosis, experimental:
regulation of T-cell responses by lung cells, 173
Tumour necrosis factor:
triggering of complement receptor-mediated phagocytosis, 77
Tumour necrosis factor and interleukin-1:
mechanisms of differential expression, 460
Tumour necrosis factor-alpha:
activation of protein kinase C, 457
on human endothelial cells, 71
Tumour necrosis factor-mediated cytolysis:
sensitivity to, 309

Veiled dendritic cells:
acquire and present intestinally administered antigens, 281